



**Futaba radio control systems.
The choice in 1979.**

The Futaba Systems.

Contest 7

7 channel pro system features open-gimbals and dual rate transmitter controls and includes T7G transmitter, R7L dual-conversion receiver, full NiCad operation with FBC-2 dual charger, 3-S18 and 1-S18L servos, switch harness, servo



trays and hardware.
72MHz only.

\$579.95

FP-3S/S18

3 channel system features T3S, single-stick transmitter and includes R3F receiver, dry cell battery cases, 2-S18 servos, switch harness, servo trays and hardware.



72MHz only.

FP-3S/S20

\$144.95

\$169.95

FP-6FN/S18

6 channel system includes T6FN transmitter, R6F receiver, full NiCad operation with FBC-2 dual charger, 3-S18 and 1-S18L servos, switch harness, servo trays and hardware. Built-in trainer system.



27 and 72MHz.

FP-6FN/S16

FP-6FN/S20

\$339.95

\$369.95

FP-2E/S22

2 channel system includes T2E, dual-stick transmitter and includes R2F receiver, dry cell battery cases, 2-S22 servos, switch harness, servo trays and hardware.



27 and 72MHz.

FP-2E/S7

\$134.95

\$149.95

FP-5FN/S18

5 channel system includes T5FN transmitter, R5F receiver, full NiCad operation with FBC-2 dual charger, 3-S18 and 1-S18L servos, switch harness, servo trays and hardware.



27 and 72MHz.

FP-5FN/S16

FP-5FN/S20

\$329.95

\$359.95

FP-2F/S18

FP-2F/S22

2 channel systems feature T2F steering wheel transmitter and include R2F receiver, dry cell battery cases, 2-S18 or S22 servos, switch harness, servo trays and hardware.



27 and 72MHz.

FP-2F/S7

FP-2F/S20

\$134.95

\$149.95

FP-4FN/S18

4 channel system includes T4FN transmitter, R4F receiver, full NiCad operation with FBC-2 dual charger, 3-S18 and 1-S18L servos, switch harness, servo trays and hardware. Built-in trainer system.



27 and 72MHz.

FP-4FN/S16

FP-4FN/S20

\$289.95

\$319.95

FP-2GA/S18

FP-2GA/S22

2 channel systems include T2G transmitter, R2F receiver, dry cell battery cases, 2-S18 or S22 servos, switch harness, servo trays and hardware.



27 and 72MHz.

\$119.95

FP-3FN/S18

FP-3FN/S22

3 channel systems include T3FN transmitter, R3F receiver, full NiCad operation with FBC-2 dual charger, 2-S18 or S22 servos, switch harness, servo trays and hardware. Built-in trainer system.



27 and 72MHz.

\$219.95

FP-2GS/S18

FP-2GS/S22

2 channel systems include T2GS transmitter, R2G receiver, dry cell battery cases, 2-S18 or S22 servos, switch harness, servo trays and hardware.



27 and 72 MHz.

\$109.95

Numeric suffixes (eg. /S20) are servo designations for Futaba systems offering a selection of different servos. All Futaba systems are factory inspected and sealed, then packaged in sturdy polyfoam.

Prices and specifications are subject to change without notice.



Futaba Servos.

Your Futaba system can be custom-tailored to personal requirements with our line of fully compatible servos.

	S7/Heavy Duty/Water Tight S7L/reverse S7	\$39.95
	Dimensions: .9" x 1.73" x 1.62" Weight: 1.7 oz. Torque: 41.7 oz./in.	
	S8/Heavy duty retract	\$44.95
	Dimensions: .9" x 1.73" x 1.62" Weight: 1.7 oz. Torque: 111.1 oz./in.	
	S10/Sail winch	\$89.95
	Dimensions: 3.5" x 1.5" x 2.93" Weight: 8.8 oz. Torque: 21.8" stroke 3.8"/sec.	
	S11/Linear action	\$39.95
	Dimensions: .75" x 1.75" x 1.5" Weight: 1.4 oz. Torque: 25.1 oz./in.	
	S14/High torque	\$89.95
	Dimensions: 3.5" x 1.5" x 2.93" Weight: 8.8 oz. Torque: 167 oz./in.	
	S15(M)/Ball bearing/Heavy duty S15(M)L/reverse S15(M)	\$49.95
	Dimensions: 1.9" x 1.41" x .91" Weight: 2.1 oz. Torque: 44.5 oz./in.	
	S15(M)G/Ball bearing retract	\$54.95
	Dimensions: 1.9" x 1.41" x .91" Weight: 2.1 oz. Torque: 55.6 oz./in.	
	S16/Mini S16L/reverse	\$39.95
	Dimensions: 1.63" x 1.4" x .75" Weight: 1.5 oz. Torque: 27.8 oz./in.	
	S16G/Mini retract	\$44.95
	Dimensions: 1.63" x 1.4" x .75" Weight: 1.5 oz. Torque: 36.1 oz./in.	
	S18/Standard S18L/reverse S18	\$29.95
	Dimensions: 1.57" x 1.55" x .78" Weight: 1.5 oz. Torque: 27.8 oz./in.	
	S20/Ultra mini S20L/reverse S20	\$39.95
	Dimensions: 1.19" x 1.13" x .69" Weight: .85 oz. Torque: 22.2 oz./in.	
	S22/Standard heavy duty	\$29.95
	Dimensions: .9" x 1.73" x 1.67" Weight: 1.8 oz. Torque: 32.0 oz./in.	

Airborne Systems/Accessories

FAP-74/S15(M) 7 channel dual conversion receiver (FP-R7L), 4 servos (S15(M) x 3 and S15(M) L x 1), double contact switch harness receiver NiCad battery pack (NR-4E(B) or NR-4E(A) for S15M), servo trays and hardware. 72MHz only \$299.95	FAP-42/S16 FAP-42/S20 Same as FAP42/S18 except 2-S16 or S20 servos \$149.95
FAP-64/S18 6 channel receiver (FP-R6F), 3-S18 and 1-S18L servo, receiver NiCad battery pack (NR-4C), switch harness, servo trays and hardware. 27 and 72MHz \$189.95	FAP-32/S18 FAP-32/S22 3 channel receiver, 2-S18 or S22 servos, receiver NiCad battery pack (NR-4C), switch harness servo trays and hardware. 27 and 72MHz \$114.95
FAP-64/S16 FAP-64/S20 Same as FAP64/S18 except 3-S16 or S20 and 1-S16L or S20 servo \$234.95	FAP-32/S16 FAP-32/S20 Same as FAP-32/S18 except 2-S16 or S20 servos \$134.95
FAP-63/S16 FAP-63/S20 3 servo version of FAP-64/S16 (S20). \$194.95	FAP-22/S22 FAP-22/S18 2 channel receiver (FP-R2F), 2-S22 or S18 servos, receiver dry cell battery case, switch harness, servo trays and hardware. 27 and 72MHz \$84.95
FAP-63/S18 3 servo version of FAP-64/S18. \$169.95	FAP-22/S16 FAP-22/S20 FAP-22/S7 Same as FAP22/S22 except 2-S16, S20 or S7 servos \$104.95
FAP-42/S18 4 channel receiver (FP-R4F), 2-S18 servos, receiver NiCad battery pack (NR-4C), switch harness, servo trays and hardware. 27 and 72MHz \$129.95	FAP-22/S22/R2G FAP-22/S18/R2G 2 channel receiver (FP-R2G), 2-S22 or S18, receiver dry cell battery case, switch harness, servo trays and hardware. 27 and 72 MHz \$74.95

Receivers					
FP-R7L	7-Ch Dual conv.	1.70" x 2.80" x .81"	3 oz.	10mA @ 4.8v	\$129.95
FP-R6F	6-Ch RF amplified	1.57" x 2.72" x .74"	1.9 oz.	10mA @ 4.8v	99.95
FP-R4F	4-Ch RF amplified	1.57" x 2.30" x .74"	1.7 oz.	10mA @ 4.8v	79.95
FP-R3F	3-Ch RF amplified	1.57" x 2.30" x .74"	1.6 oz.	10mA @ 4.8v	64.95
FP-R2F	2-Ch RF amplified	1.57" x 2.30" x .74"	1.6 oz.	10mA @ 6.0v	54.95
FP-R2G	2-Ch Double-Tuned	1.31" x 2.06" x .63"	1.2 oz.	10mA @ 6.0v	44.95
Transmitters					
FP-T7G	7-Ch Dual-Stick/Contest	7.48" x 6.02" x 1.97"	2 lb 6 oz.		\$299.95
FP-T6FN	6-Ch Dual-Stick/NiCad	7.28" x 6.10" x 2.00"	2 lb 6 oz.		159.95
FP-T5FN	5-Ch Dual-Stick/NiCad	7.28" x 6.10" x 2.00"	2 lb 6 oz.		149.95
FP-T4FN	4-Ch Dual-Stick/NiCad	7.28" x 6.10" x 2.00"	2 lb 6 oz.		139.95
FP-T3FN	3-Ch Dual-Stick/NiCad	7.28" x 6.10" x 2.00"	2 lb 6 oz.		129.95
FP-T3S	3-Ch Single-Stick/dry cell	5.50" x 6.00" x 2.25"	1 lb 10 oz.		79.95
FP-T2E	2-Ch Dual-Stick/dry cell	5.95" x 5.55" x 2.20"	1 lb 9 oz.		74.95
FP-T2F	2-Ch Steering Wheel/dry cell	5.95" x 5.55" x 2.20"	1 lb 15 oz.		74.95
FP-T2G	2-Ch Dual-Stick/dry cell	6.65" x 5.25" x 2.00"	1 lb 6 oz.		54.95
FP-T2GS	2-Ch Dual-Stick/dry cell	5.75" x 4.00" x 2.00"	1 lb 2 oz.		49.95
NiCad Power Supplies					
FBPK-1	System includes: 1-NT-10; 1-NR-4C and dual charger. Converts 12v. (8 dry cell) system to NiCad.				\$69.95
FBPK-2	System includes: 1-NT-10; 1-NR-4C and dual charger. Converts 7 cell transmitters to NiCad.				55.95
FBPK-3	System includes: 8-pen cell NiCads; 1-NR-4C and dual charger. Charging jack for 2GA only.				55.95
NT-8C	Transmitter NiCad/500mA/9.6v				29.95
NT-10	Transmitter NiCad/500mA/12v				44.95
NR-4C	Airborne NiCad/500mA/4.8v/1.25" x 1.25" x 2.25"/4.0 oz.				15.95
NR-4E(A)	Flat NiCad/500mA/4.8v/2.40" x 2.44" x .73"/4.2 oz.				15.95
	W/Standard Connector				
NR-4E(B)	Same as NR-4E(A) except with contest-73-pin connector				15.95
NR-4G	Lightweight NiCad/2.50mA/4.8v/1.95" x .95" dia./2.6 oz.				15.95
NiCad Chargers					
FBC-1	Single charger/4.8v/45mA (RX NiCad only)				\$ 9.95
FBC-2(A)	Dual charger/4.8v/45mA and 9.6v/45mA for 120V AC				12.95
FBC-2(B)	Dual charger/4.8v/45mA and 12.0v/45mA for 120V AC				12.95
FBC-2(C)	Dual charger/4.8v/45mA and 9.6v/45mA for 220V AC				12.95
FBC-2(D)	Dual charger/4.8v/45mA and 12.0v/45mA for 220V AC				12.95
Accessories					
FP-MCIB	Proportional speed control. Forward and reverse. Maximum rating-24v/10A; power source: 4.8v-12v				\$ 59.95
DSC-1	Servo controller. For stage tuning w/o transmitter.				119.95
Trainer Cord					6.95



Futaba's Air Force.

Flying is easier and more fun with complete, pre-finished R/C airplanes featuring radio systems by Futaba... The perfect way to get right into the world of radio-controlled aviation.




Futaba Trainer/3FN

System includes: Complete, pre-finished "Silly Savage" three-channel airplane, K&B ball-bearing .19RC engine plus full NiCad FP-3FN system with 3-S18 servos. Radio gear, engine and linkage installed, some assembly required. \$439.95



Futaba Trainer/3S

System includes: Complete, pre-finished "Silly Savage" three-channel airplane, K&B ball-bearing .19RC engine plus single-stick FP-3S system with 3-S18 servos and airborne NiCad battery pack. Radio gear, engine and linkages installed, some assembly required. \$389.95




Futaba Trainer/3S

System includes: Complete, pre-finished "Silly Savage" three-channel airplane, K&B ball-bearing .19RC engine plus single-stick FP-3S system with 3-S18 servos. Radio gear, engine and linkages installed, some assembly required. \$369.95



Futaba Piper Cub/3S

System includes: Complete, pre-finished "Piper Cub" two-channel airplane, Testors .049 engine plus single-stick FP-3S system with 2-S18 servos. Radio gear, engine and linkages installed, some assembly required. \$199.95



Futaba Piper Cub/2GS

System includes: Complete, pre-finished Piper Cub two-channel airplane, Testors .049 engine plus FP-2GS system with 2-S18 servos. Radio gear, engine and linkages installed, some assembly required. \$169.95

Futaba

Futaba Corporation of America
2065 East Victoria Street/Compton, California 90220